

File I

Implementation

1 l3pdf implementation

```
1  {*initex | package}
2  <@@=pdf>
3  (*package)
4  \ProvidesExplPackage{l3pdf}{2020-07-17}{}%
5  {L3 Experimental core PDF support}
6  </package>

\s__pdf_stop Internal scan marks.
7  \scan_new:N \s__pdf_stop

(End definition for \s__pdf_stop.)
```

\g__pdf_init_bool A flag so we have some chance of avoiding setting things we are not allowed to.

```
8  \bool_new:N \g__pdf_init_bool
9  (*package)
10 \cs_if_exist:NT \documentclass
11 {
12   \AtBeginDocument
13   { \bool_gset_true:N \g__pdf_init_bool }
14 }
15 </package>

(End definition for \g__pdf_init_bool.)
```

1.1 Compression

\pdf_uncompress: Simple to do.

```
16 \cs_new_protected:Npn \pdf_uncompress:
17 {
18   \bool_if:NF \g__pdf_init_bool
19   {
20     \__pdf_backend_compresslevel:n { 0 }
21     \__pdf_backend_compress_objects:n { \c_false_bool }
22   }
23 }
```

(End definition for \pdf_uncompress:. This function is documented on page ??.)

1.2 Objects

\pdf_object_new:nn Simple to do.

```
\pdf_object_write:nn
\pdf_object_write:nx
\pdf_object_if_exist_p:n
\pdf_object_if_exist:nTF
  \pdf_object_ref:n
  \pdf_object_now:nn
  \pdf_object_now:nx
  \pdf_object_last:
```

\pdf_object_new:nn #1#2

```
24 \cs_new_protected:Npn \pdf_object_new:nn #1#2
25   { \__pdf_backend_object_new:nn {#1} {#2} }
26 \prg_new_conditional:Npnn \pdf_object_if_exist:n #1 { p , T , F , TF }
27   {
28     \int_if_exist:cTF { c__pdf_backend_object_ \tl_to_str:n {#1} _int }
```

```

29      { \prg_return_true: }
30      { \prg_return_false:}
31  }
32 \cs_new_protected:Npn \pdf_object_write:nn #1#2
33   { \__pdf_backend_object_write:nn {#1} {#2} }
34 \cs_generate_variant:Nn \pdf_object_write:nn { nx }
35 \cs_new:Npn \pdf_object_ref:n #1 { \__pdf_backend_object_ref:n {#1} }
36 \cs_new_protected:Npn \pdf_object_now:nn #1#2
37   { \__pdf_backend_object_now:nn {#1} {#2} }
38 \cs_generate_variant:Nn \pdf_object_now:nn { nx }
39 \cs_new:Npn \pdf_object_last: { \__pdf_backend_object_last: }

(End definition for \pdf_object_new:nn and others. These functions are documented on page ??.)
```

1.3 Version

```

\pdf_version_compare:Nn
--pdf_version_compare_=:w 40 % To compare version, we need to split the given value then deal with both
--pdf_version_compare_<:w 41 % major and minor version
--pdf_version_compare_>:w 42 \prg_new_conditional:Npnn \pdf_version_compare:Nn #1#2 { p , T , F , TF }
43   { \use:c { __pdf_version_compare_ #1 :w } #2 . . \s__pdf_stop }
44 \cs_new:cpn { __pdf_version_compare_=:w } #1 . #2 . #3 \s__pdf_stop
45 {
46   \bool_lazy_and:nnTF
47   { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
48   { \int_compare_p:nNn \__pdf_backend_version_minor: = {#2} }
49   { \prg_return_true: }
50   { \prg_return_false: }
51 }
52 \cs_new:cpn { __pdf_version_compare_<:w } #1 . #2 . #3 \s__pdf_stop
53 {
54   \bool_lazy_or:nnTF
55   { \int_compare_p:nNn \__pdf_backend_version_major: < {#1} }
56   {
57     \bool_lazy_and_p:nn
58     { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
59     { \int_compare_p:nNn \__pdf_backend_version_minor: < {#2} }
60   }
61   { \prg_return_true: }
62   { \prg_return_false: }
63 }
64 \cs_new:cpn { __pdf_version_compare_>:w } #1 . #2 . #3 \s__pdf_stop
65 {
66   \bool_lazy_or:nnTF
67   { \int_compare_p:nNn \__pdf_backend_version_major: > {#1} }
68   {
69     \bool_lazy_and_p:nn
70     { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
71     { \int_compare_p:nNn \__pdf_backend_version_minor: > {#2} }
72   }
73   { \prg_return_true: }
74   { \prg_return_false: }
75 }
```

(End definition for \pdf_version_compare:Nn and others. This function is documented on page ??.)

```

\pdf_version_gset:n Split the version and set.
\pdf_version_min_gset:n
\__pdf_version_gset:w
76 \cs_new_protected:Npn \pdf_version_gset:n #1
77 { \__pdf_version_gset:w #1 . . \s__pdf_stop }
78 \cs_new_protected:Npn \pdf_version_min_gset:n #1
79 {
80     \pdf_version_compare:NnT < {#1}
81     { \__pdf_version_gset:w #1 . . \s__pdf_stop }
82 }
83 \cs_new_protected:Npn \__pdf_version_gset:w #1 . #2 . #3\s__pdf_stop
84 {
85     \bool_if:NF \g__pdf_init_bool
86     {
87         \__pdf_backend_version_major_gset:n {#1}
88         \__pdf_backend_version_minor_gset:n {#2}
89     }
90 }

(End definition for \pdf_version_gset:n, \pdf_version_min_gset:n, and \__pdf_version_gset:w.
These functions are documented on page ??.)

\pdf_version: Wrappers.
\pdf_version_major:
91 \cs_new:Npn \pdf_version:
92 { \__pdf_backend_version_major: . \__pdf_backend_version_minor: }
93 \cs_new:Npn \pdf_version_major: { \__pdf_backend_version_major: }
94 \cs_new:Npn \pdf_version_minor: { \__pdf_backend_version_minor: }

(End definition for \pdf_version:, \pdf_version_major:, and \pdf_version_minor:. These functions
are documented on page ??.)

95 ⟨/initex | package⟩

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	\pdf_version_min_gset:n <u>76</u>
\AtBeginDocument	<u>12</u>
B	\pdf_version_minor: <u>91</u>
bool commands:	
\bool_gset_true:N	<u>13</u>
\bool_if:NTF	<u>18, 85</u>
\bool_lazy_and:nnTF	<u>46</u>
\bool_lazy_and:p:nn	<u>57, 69</u>
\bool_lazy_or:nnTF	<u>54, 66</u>
\bool_new:N	<u>8</u>
\c_false_bool	<u>21</u>
C	\pdf_backend_compress_objects:n <u>21</u>
cs commands:	
\cs_generate_variant:Nn	<u>34, 38</u>
\cs_if_exist:NTF	<u>10</u>
\cs_new:Npn	<u>35, 39, 44, 52, 64, 91, 93, 94</u>
\cs_new_protected:Npn	
.	<u>16, 24, 32, 36, 76, 78, 83</u>
D	\pdf_backend_compresslevel:n <u>20</u>
\documentclass	<u>10</u>
I	\pdf_backend_object_last: <u>39</u>
int commands:	
\int_compare_p:nNn	
.	<u>47, 48, 55, 58, 59, 67, 70, 71</u>
\int_if_exist:NTF	<u>28</u>
P	\pdf_backend_object_new:nn <u>25</u>
pdf commands:	
\pdf_object_if_exist:nTF	<u>24</u>
\pdf_object_if_exist_p:n	<u>24</u>
\pdf_object_last:	<u>24</u>
\pdf_object_new:nn	<u>24</u>
\pdf_object_now:nn	<u>24</u>
\pdf_object_ref:n	<u>24</u>
\pdf_object_write:nn	<u>24</u>
\pdf_uncompress:	<u>16</u>
\pdf_version:	<u>91</u>
\pdf_version_compare:Nn	<u>40</u>
\pdf_version_compare:NnTF	<u>80</u>
\pdf_version_gset:n	<u>76</u>
\pdf_version_major:	<u>91</u>
Q	\pdf_backend_object_ref:n <u>35</u>
quark internal commands:	
\s_pdf_stop	<u>7, 43, 44, 52, 64, 77, 81, 83</u>
S	\pdf_backend_object_write:nn <u>37</u>
scan commands:	
\scan_new:N	<u>7</u>
T	\pdf_backend_version_major: <u>47, 55, 58, 67, 70, 92, 93</u>
tl commands:	
\tl_to_str:n	<u>28</u>
U	\use:N <u>43</u>
use commands:	